

Revision date: May. 16, 2019

Safety Data Sheet

1. Identification

Product name N,N-Diethylaniline

Product code DEA

Manufacturer name Mitsuboshi Chemical Co., Ltd.

Address 14 Kitanoharacho, Kamigamo, Kita-ku, Kyoto, 603-8006, Japan

Contact Development and Technical Division

+81-75-781-1177 Telephone number Emergency telephone number +81-75-781-1177 FAX number +81-75-701-7227

2. Hazards identification

GHS classification

Physical hazards

Flammable liquid Category 4

Health hazards

Category 4 Acute toxicity (Oral) Acute toxicity(inhalation) Category 4 Skin corrosion Category 2 Serious eye damage/eye Category 2A

irritation

Specific target organ toxicity Category 2(central nervous system)

- Single exposure

Specific target organ toxicity

- Repeated exposure

Environmental hazards

Acute aquatic hazard Category 2 Long-term aquatic hazard Category 2

GHS label elements

Pictograms and hazard symbol



Category 2(blood)





Signal word Warning

Hazard statements Combustible liquid

Harmful if swallowed or if inhaled

Causes skin irritation Causes serious eye irritation

May cause damage to organs: Central nervous system

May cause damage to organs through prolonged or repeated

exposure: Blood Toxic to aquatic life

Toxic to aquatic life with long lasting effects

Precautionary statement

Prevention Keep away from flames and hot surfaces. -No smoking.

Do not breathe mist, vapors or spray.

			11	421 . 4	
Use only	OUITOONS	or in	a well-	-ventilated	area
OGC CITIY	Odladois	01 111	a won	vontiliated	arca.

Avoid release to the environment.

Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling.

Wear protective gloves, eye protection.

Rinse mouth.

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and

wash it before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

If exposed or concerned: Call a poison center or doctor.

In case of fire: Use dry chemical, dry sand or foam to extinguish.

Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

Store locked up.

Disposal Dispose of contents/container to a specialist waste disposal

contractor authorized by the prefectural governor.

3. Composition/Information on

Ingredients

Substance/ Mixture Substance

Components N, N-Diethylaniline

Synonyms N, N-Diethylphenylamine

Diethylaminobenzene

Concentration >99.0%

Chemical formula

/ C₁₀H₁₅l

CAS number 91-66-7

4. First aid measures

If inhaled Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a poison center or

doctor/physician.

If on skin Wash with plenty of soap and water.

If in eyes Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If swallowed Call a Poison Center or doctor/physician if you feel unwell.

Make the victims drink water with active carbon.

5. Fire-fighting measures

Extinguishing Media	Water spray, Foam fire extinguisher, Powder fire extinguisher, Carbon dioxide fire extinguisher			
Inappropriate fire extinguisher	Concentrated water jet			
Specific hazard	Irritative or toxic fume and gases are generated in a fire.			
Specific fire extinguishing method	Stop the supply of the conbustible material, and extiguish the fire by appropriate fire extiguisher.			
	Cool the neighbouring tanks and architectures by water spray to prevent the expansion of fire.			
	Fire extinguishing activities should be done on the windward side of the fire.			
	Prohibit the entry of non-essential personnel to the area of fire.			
	Move the container away from the fire zone if it is not dangerous			
	to do so.			
Protective equipment and precautions for fire fighters	Wear appropriate self-contained breathing apparatus and chemical resistant protective clothing that can protect eyes and			
	skin.			
6. Accidental release measures	Western death and the second of the second o			
Personal precautions, protective	Workers should wear appropriate protective equipment, and			
equipment and emergency	should avoid contact with eyes and skin and inhalation of gas.			
procedures:	Prohibit the entry of non-essential personnel.			
Environmental precautions	Prevent leaked substances from entering surface and ground			
Containment and class up	water in order to avoid impact on the environment.			
Containment and clean-up methods and materials	Promptly remove the all ignition sources. (Prohibit smoking and fireworks in the neighbouring area)			
methods and materials	Collect spillage to metal- or glass-made container as possible.			
	Move the residual liquid to the safe place by asborption to sand			
	or unreactive absorbent.			
7. Handling and storage	of diffeactive absorbent.			
Handling				
Engineering control	Carry out the measures described in "8. Exposure			
Engineering control	controls/personal protection" and wear protective equipment.			
Precautions for safe handling	Obtain special instructions before use.			
1 reductions for sale flamming	Do not handle until all safety precautions have been read and			
	understood.			
	Keep away from heat/ sparks /open flames/ hot surfaces. No			
	smoking.			
	Avoid breathing dust/ fume/ gas/mist/ vapors/ spray.			
	Wash hands thoroughly after handling.			
	Do not eat, drink, or smoke when using this product.			
	Use only outdoors or in a well- ventilated area.			
	Avoid release to the environment.			
	Wear protective gloves/ protective clothing/ eye protection/ face			
	protection.			
	Wear respiratory protection.			
	Wash contaminated clothing before reuse.			

Avoidance of contact Please refer to "10. Stability and reactivity".

Storage

Storage condition Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Keep away from strong oxidizing reagents, food, and feed.

Ventilate through floor.

Store in a place that have no access to drain tube or sewer pipe.

Container and packaging materials

Use a container specified in the Fire Service Law or United

Nations transportation regulations.

8. Exposure control/ Personal

protection

Control concentration No set

Threshold limit value

Japan Society for Occupational

No set

Health (2017 edition)

ACGIH (2017 edition) No set

Facility controls In the place where the substance is stored and used, provide

facilities for eye-washing and a shower for washing the entire

body.

Install ventilation equipment for maintaining air-polluting substances below the control concentration and threshold limit

value when mist is emitted during processing at high heat.

Personnel protective equipment

Respiratory protection If ventilation is not enough, wear appropriate protective

respiratory equipment.

Hand protection Wear appropriate protective gloves. Eye protection Wear appropriate eye protection.

Wear appropriate protective clothing and face protection. Skin and body protection

9. Physical and chemical properties

Physical state

Liquid (20°C, 1atm) Appearance

color Pale yellow or pale brown odor Irritating, aniline odor

pΗ No data

Melting point -38°C (GESTIS) 216.3°C(GESTIS) **Boiling point** Flash point 92°C(GESTIS)

Evaporation rate (Butyl acetate = 1) No data

Vapor pressure $0.2 \text{ hPa}(25^{\circ}\text{C}) \text{ (GESTIS)}$

Relative vapor density(air=1) 5.0

Specific gravity(density) 0.9302 g/cm3 (25°C)(GESTIS)

Solubility Water : 0.13 g/L (20°C)

Soluble in alcohol, chloroform, ether; soluble in acetone,

benzene, organic solvent.

Partition coefficient :octanol / water 3.31

Auto-ignition temperature	330 ℃			
	No data			
Viscosity	No data			
10. Stability and reactivity				
Reactivity	Please refer to "Hazardous decomposition products".			
Chemical stability	Stable under normal use and storage.			
Conditions to avoid	Contact with open- flame, high temperature, incompatible			
	substances.			
Incompatible substance	Oxidizer, strong acid, especially nitric acid			
Hazardous decomposition products	Heating causes combustion, harmful fume gas (Aniline, Nitrogen			
	Oxide) is produced.			
11. Toxicological information				
Acute toxicity				
Oral	orl-rat LD50:606 mg/kg(IUCLID (2000)), Category 4			
Dermal	skn-rat LD50:>5000 mg/kg(IUCLID (2000))			
Inhalation(vapor)	No data			
Inhalation(mist)	GHS classification: not possible			
	The data necessary for classification is insufficient.			
Skin corrosion/irritation	skn-rbt 0.5 mL/24H SEV(IUCLID (2000))			
Serious eye damage/eye irritation	eye-rbt 0.1 mL MLD (IUCLID (2000))			
Respiratory sensitization	GHS classification: impossible			
	The data necessary for classification is insufficient.			
Skin sensitization	GHS classification: impossible			
	The data necessary for classification is insufficient.			
Germ sell mutagenicity	GHS classification: impossible			
	The data necessary for classification is insufficient.			
Carcinogenicity	GHS classification: impossible			
	The data necessary for classification is insufficient.			
Reproduction toxicity	GHS classification: impossible			
	The data necessary for classification is insufficient.			
Specific target organ toxicity	In rat studies, oral administration (LD50; 606 mg / kg) reports on			
(single exposure)	cyanosis, sensory disorders, palmar contraction etc. Inhalation			
	test (LC50; 1.92 mg / L) reports on ataxia or tremors Based on			
	[IUCLID (2000)], the substance was classified into Category 2			
	(central nervous system).			
Specific target organ toxicity	Hemosiderin deposition of spleen and Kupffer cells in all			
(Repeated exposure)	administration groups (28 days: 10, 50, 250 mg / kg / day: 3 mg			
	/ kg / day converted to 90 days) in the oral administration test			
	(OECD TG 407) in rats Based on reports of extramedullary			
	hematopoiesis and congestion in the spleen [IUCLID (2000)],			
	the dose falls under Category 1, but since it is the data of List 2,			
Againstian hazard	it was classified as Category 2 (blood).			
Aspiration hazard	GHS classification: impossible			
	The data necessary for classification is insufficient.			

Hazard to the aquatic Acute hazard EC50 (Daphnia magna):1.3mg/L/48hr (AQUIRE, 2010). Chronic hazard Acute toxicity is Category 2, not rapidly degradable. Hazard to the ozone layer mobility No information available 13.Disposal consideration Residual waste For disposal, follow relevant regulations and local authority standards. Dispose of contents / container by a special waste disposal contractor who received permission from the local governor. When consigning waste to a contractor, be sure to provide sufficient notice of hazards and toxicity. Contaminated packaging Containers should be cleaned and recycled, or appropriate disposal according to relevant laws and local government standards. When empty containers are discarded, contents should be completely removed. 14. Transport information International regulations **UN** number 2432 Proper shipping name N,N-DIETHYLANILINE Class 6.1 Packing groupe Not applicable Marine pollutant Not applicable Chemicals listed in MARPOL73/78 annex II and with IBC code Domestic regulations Regulations on transport in your region should be checked by your own responsibility. 15. Regulatory information

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

16. Other information

References The original data are indicated in each item.

Disclaimer

The content of this SDS was prepared based on currently available materials, and the data and evaluations are not necessarily full and complete, therefore the content must be treated with caution. Moreover, the precautions shown here are for normal handling of the product. If you intend to use the product for special purposes, additional safety measures appropriate to the application and usage may be required.